

Scott County Facility and Support Services Department
Purchasing Division
600 West Fourth Street, Davenport, Iowa 52801-1030
Phone: (563) 326-8793
Fax: (563) 328-3245
E-Mail: purchasing@scottcountyiowa.com

REQUEST FOR QUOTATION

**Scott County Requisition No. CORRECTED
18696**

Bidders need to complete and submit this form.

Submission Date: 12/6/2010	No Later Than: 11:00am
-----------------------------------	-------------------------------

Qty	Description
1	2011- 4 wheel drive, 16,000 GVWR dump truck
	With snow plow and salt spreader equipment
	Specification sheet and additional information attached.
	Please return sealed quotations to address listed for West Lake Headquarters
	Delivery Included
	price quotation good for 60 days
	From time to time it may be necessary to change or modify a request for purchase. If you have received this request from any other source other than direct fax or email from Scott County, it is your responsibility to check for updates and/or changes to the request. If you would like to receive automatic updates please register your company in our vendor data base by using our website, www.scottcountyiowa.com/fss/purchasing.php

Scott County reserves the right to accept the bid from the lowest responsible bidder.

Quote submitted by:

Released by:
(Scott County Use Only)

Name

Date: 11/24/2010

Title

Time: 1:30pm

Company

PLEASE NOTE:

Bidders must provide an estimated delivery date in their bid response!

Date

Company Contact Information:	Phone:
	E-Mail:

“By virtue of statutory authority, a preference will be given to products and provisions grown and coal produced within the State of Iowa.”

MEMO FROM:

**Scott County Conservation Board
14910 110th Avenue
Davenport, Iowa 52804
563-328-3280**



Date: November 24th, 2010

TO: CAR & TRUCK DEALERS

Enclosed is a specification sheet for One (1) 2011 4-wheel drive, 16,000 GVWR dump truck with snow plow and salt spreader equipment. The Conservation Board prefers to pay one invoice for the entire package with the selected dealer completing the arrangements. Bidders must attach specification literature. Your quote should include delivery.

The Conservation Board reserves the right to waive compliance on technicalities of the specification, and may reject any or all quotations. If your bid varies from the specification, please note the differences.

Sealed quotations **are due by** 11:00 a.m., Monday, December 6th, 2010. Please write "Sealed Quotation" on the outside of the envelope.

Sealed quotations must be mailed OR delivered to:

Scott County Conservation Board
West Lake Park Headquarters, Gate #3
14910 - 110 Avenue
Davenport, IA 52804

Very truly yours,

Marc W. Miller
Deputy Director

One (1) 4-WHEEL DRIVE, 16,000 GVWR DUMP TRUCK QUOTATION

Scott County Conservation Board
14910 - 110 Avenue, Davenport, IA 52804

Please submit a quotation on or before 11:00 a.m., Monday, December 6th, 2010 for one (1) new 2011, 4-wheel drive, 16,000 GVWR dump truck and equipment as specified below. The Conservation Board reserves the right to reject any/or all quotations. The County does not pay federal excise taxes or state and local sales taxes, but will sign tax exemption certificates. Price shall include local delivery.

PLEASE MARK OUTSIDE OF ENVELOPE "SEALED QUOTATION"

Make and model quoted _____

- Standard chassis cab 4 WD truck _____
- Engine: Diesel – minimum 300 hp _____
- Dual rear wheels _____
- Heavy duty chassis equipment _____
- Transmission: Automatic with overdrive _____
- Increased capacity cooling system
w/ Transmission & oil cooler _____
- Heavy duty 12v alternator & battery _____
- Delay electrical dual windshield wipers and washers _____
- Heavy duty air cleaner and oil filter _____
- Ammeter, oil pressure and temperature needle gauges _____
- Air conditioning _____
- Bucket seats, with custom cloth cover,
Scotchguard protected _____
- Radio-am/fm/clock _____
- Inside safety mirror and oversize extendable heated external
power mirrors _____
- Complete rustproofing and undercoated Ziebart
or equal lifetime warranty protection _____
- Heavy duty power brakes with 4-wheel anti-lock
brake system _____
- All terrain type tire with rim mounted spare
Specify size and type _____
- Heavy duty trailering package w /factory installed brake controller,
hitch and wiring harness _____
- Power windows and locks _____
- Color Lt. brown, (to be approved) _____
- 4.10 gear ratio _____
- Skid Plates _____
- Mid-Mount Fuel tank – Large _____
- Limited slip differential lock _____
- GVWR 16,000 lbs. _____
- Block Heater _____

Truck Price \$ _____

Dump Box for a 4 WD Cab Chassis Truck & Snowplow Mount w/Controls

Make and model _____

- Body and Hoist – 9’ long with 90+” wide platform _____
Specify size _____
- Structural long sills, formed cross sills on 12” centers
Minimum of 3/16” smooth steel floor. _____
Specify thickness _____
- Straight head sheet 85” wide integral cab shield with one integral window _____
- 18” high sides, 12 ga. Double walled with 24” manually released tailgate _____
- Factory cleaned, treated and primed protection system _____
Specify type _____
- Finish painted to match cab reasonably close _____
- Lights and reflectors per FMVSS 108. Wiring to run in loom.
Soldered connections sealed in heat shrink tubing.
Clips and ties where appropriate. _____
- Mud flaps fore and aft of rear wheels (duals) _____
- Backup Alarm _____
- Oval Strobe lights mounted in rear corner posts _____
- Double arm scissors type hoist with double acting cylinder _____
- NTEA Class C/20, 8.1 ton rating with 6” overhang
and 50 degree dump angle _____
- Screw in type grease zerks with lubricating hinges`
and pivot points _____
- Body prop to support body during maintenance _____
- Minimum 1 year warranty _____
Specify warranty _____

Central Hydraulic System – To operate double acting hoist and power angling snow plow

- Fan belt drive electric clutch operated hydraulic pump with on/off switch in cab _____
- Sectional control valve mounted outside of cab _____
- Engine mounting kit for clutch pump _____
- Valve sections to be activate by Morse RVC system, sealed stainless steel control cables with levers in cab console:
 - Dump body hoist, up-down-hold
 - Snow plow – lift, angle left & right in one unit
- Minimum 20-gallon oil reservoir, frame mounted, with screen filter, breather cap, suction screen, magnetic drain plug and sight-temperature gauge _____
- Return line filter, in-tank type, with 10-micron replaceable element _____
- Hoses and fittings of proper size and pressure ratings to complete system. Hoses to front of snow plow to terminate in cushion value with quick couplers. _____
Plumb for removable salt spreader – on-off switch and 2 speed control dials

Snow Plow Equipment

Western Mount (truck portion) for Ultra-mount Pro-Plus snow plow

9" long x 31.5" high moldboard

8 vertical reinforcement ribs with 4 adjustable trip springs

Two shock absorbers and 2 adjustable cast iron disc shoes

High carbon steel cutting edge with blade guides

Easy attach/detach plow wings

Halogen headlights and turn signals

Design to allow complete unit to be removed as one piece

Drive-in alignment with easy connect and pivot

Western Ultra-mount Plow & Harness kit

\$ _____

Bed and Equipment Price

\$ _____

Salt/Sand V-Box Spreader, M. FSP (Carbon Steel)

9 ft. long x 50 1/2" wide x 33" high

2.3 cu yd capacity

Dual hydraulic motors

Inverted V over conveyor

Standard duty top screen

Long spinner chute for dump body mount

Polyurethane spinner

Tailgate latch mounting kit w/ 4 ratchet straps

Salt/Sand Spreader Price

\$ _____

TOTAL PRICE

\$ _____

Please list any differences between your quote and the specifications as listed above on the reverse side of this form.

Attach bids and literature for each bid vendor.

Company _____

Signature _____

Date _____