

MEMO FROM:

**Scott County Conservation Board
14910 110th Avenue
Davenport, Iowa 52804
563-328-3280**



Date: August 17th, 2012

TO: CAR & TRUCK DEALERS

Enclosed is an RFP specification sheet for One (1) **2013 4-wheel drive, 16,000 GVWR** dump truck with snow plow and plumbed for a tailgate salt spreader. The Conservation Board prefers to pay **one invoice for the entire package** with the selected dealer completing the arrangements. Bidders must attach specification literature. Your quote should include delivery.

The Conservation Board reserves the right to waive compliance on technicalities of the specification, and may reject any or all quotations. If your bid varies from the specification, please note the differences.

Sealed quotations **are due by** 10:00 a.m., Monday, September 10th 2012. Please write "Sealed Quotation" on the outside of the envelope.

Sealed quotations must be mailed OR delivered to:

Scott County Conservation Board
West Lake Park Headquarters, Gate #3
14910 - 110 Avenue
Davenport, IA 52804

Very truly yours,

A handwritten signature in black ink, appearing to read "Marc W. Miller". The signature is fluid and cursive, with a long horizontal stroke extending to the right.

Marc W. Miller
Deputy Director

Scott County Facility and Support Services Department
Purchasing Division
600 West Fourth Street, Davenport, Iowa 52801-1030
Phone: (563) 326-8793
Fax: (563) 328-3245

E-Mail: purchasing@scottcountyiowa.com

REQUEST FOR QUOTATION

Scott County Requisition No. 18939

Bidders need to complete and submit this form.

Submission Date: 9/10/2012	No Later Than:10:00am
-----------------------------------	------------------------------

Qty	Description
1	2013, 4-wheel drive, 16,000 GVWR dump truck with snow plow and plumbed for a tailgate spreader
	Delivery Included
	price quotation good for 60 days
	From time to time it may be necessary to change or modify a request for purchase. If you have received this request from any other source other than direct fax or email from Scott County, it is your responsibility to check for updates and/or changes to the request. If you would like to receive automatic updates please register your company in our vendor data base by using our website, www.scottcountyiowa.com/fss/purchasing.php

Scott County reserves the right to accept the bid from the lowest responsible bidder.

Quote submitted by:

Released by:
(Scott County Use Only)

Name

Date: 8/20/2012

Title

Time: 2:30pm.

Company

PLEASE NOTE:

Date

Bidders must provide an estimated delivery date in their bid response!

Company Contact Information:	Phone:
	E-Mail:

“By virtue of statutory authority, a preference will be given to products and provisions grown and coal produced within the State of Iowa.”

One (1) 4-WHEEL DRIVE, 16,000 GVWR DUMP TRUCK QUOTATION

Scott County Conservation Board
14910 - 110 Avenue, Davenport, IA 52804

Please submit a quotation on or before 10:00 a.m., Monday, September 10th, 2012 for one (1) new 2013, 4-wheel drive, 16,000 GVWR dump truck and equipment as specified below. The Conservation Board reserves the right to reject any/or all quotations. The County does not pay federal excise taxes or state and local sales taxes, but will sign tax exemption certificates. Price shall include local delivery.

PLEASE MARK OUTSIDE OF ENVELOPE "SEALED QUOTATION"

Make and model quoted _____

- Standard chassis cab 4 WD truck _____
- Engine: Diesel – minimum 300 hp _____
- Dual rear wheels _____
- Heavy duty chassis equipment _____
- Transmission: Automatic with overdrive _____
- Increased capacity cooling system w/ Transmission & oil cooler _____
- Heavy duty 12v alternator & battery _____
- Cab length running boards or stainless steel tubular steps _____
- Heavy duty air cleaner and oil filter _____
- Ammeter, oil pressure and temperature needle gauges _____
- Air conditioning _____
- Bucket seats, with custom cloth cover, Scotchguard protected _____
- Radio-am/fm/clock _____
- Inside safety mirror and oversize extendable heated external power mirrors _____
- Complete rust proofing and undercoated Ziebart or equal lifetime warranty protection _____
- 4-wheel anti-lock brake system _____
- All terrain type tire with rim mounted spare _____
 - Specify size and type _____
- Heavy duty trailering package w /factory installed brake controller, hitch and wiring harness _____
- Tilt steering wheel _____
- Power windows and locks _____
- Color Lt. brown, (to be approved) _____
- 4.10 gear ratio with limited slip differential lock _____
- Skid Plates _____
- Front Wheel mud flaps _____
- Rear hitch and bumper areas coated with spray bedliner _____
- GVWR 16,000 lbs. _____
- Block Heater _____

Truck Price \$ _____

**Stainless Steel Dump Box for a 4 WD 16,000 GVWR Truck & Snowplow Mount
w/Controls & Tailgate Spreader Plumbing**

- Make and Model: Henderson Model 9x18xFxSxMK3xSS
- Body and Hoist – 9' long with 90+” wide platform
- Specify size
- Structural long sills, formed cross sills on 12” centers
- Minimum of 3/16” stainless steel smooth steel floor.
- Specify thickness
- Straight head sheet 85” wide integral cab shield with one integral window
- 18” high sides, 12 ga. Double walled with 24” manually released tailgate
- All Lights LED and reflectors per FMVSS 108. Wiring to run in loom.
- Soldered connections sealed in heat shrink tubing. Clips and ties where appropriate.
- Mud flaps fore and aft of rear wheels (duals)
- Self Adjusting Backup Alarm
- Oval Strobe lights mounted in rear corner posts
- 360 degree visible strobe
- Double arm scissors type hoist with double acting cylinder
- NTEA Class C/20, 8.1 ton rating with 6” overhang and 50 degree dump angle
- Screw in type grease zerks with lubricating hinges and pivot points
- Body prop to support body during maintenance
- Minimum 1 year warranty
- Specify warranty

Central Hydraulic System – To operate double acting hoist, power angling snow plow, and Henderson tailgate salt spreader, Model RTSx6xLHx304.

- Fan belt drive electric clutch operated hydraulic pump with on/off switch in cab
- Sectional control valve mounted outside of cab
- Engine mounting kit for clutch pump
- Valve sections to activate by Morse RVC system, sealed stainless steel control cables with levers in cab console:
 - Dump body hoist, up-down-hold
 - Snow plow – lift, angle left & right in one unit
 - Minimum 20 gallon oil reservoir, frame mounted, with screen filter, breather cap, suction screen, magnetic drain plug and sight-temperature gauge
- Return line filter, in-tank type, with 10-micron replaceable element
- Hoses and fittings of proper size and pressure ratings to complete system. Hoses to front of snow plow to terminate in cushion valve with quick couplers.

- Plumb for removable salt spreader – on-off switch and 2 speed control dials

Snow Plow Equipment

- Western Mount (truck portion) for Ultra-mount Pro-Plus snow plow 9" long x 31.5" high moldboard
- 8 vertical reinforcement ribs with 4 adjustable trip springs
- Two shock absorbers and 2 adjustable cast iron disc shoes
- High carbon steel cutting edge with blade guides
- Easy attach/detach plow wings
- Halogen headlights and turn signals
- Design to allow complete unit to be removed as one piece
- Drive-in alignment with easy connect and pivot
- Western Ultra-mount Plow & Harness kit
- Rubber top snow defector

Western Ultra Stainless Steel Dump Box and Equipment Price

\$ _____

Salt/Sand Spreader Plumbing

Hydraulic plumbing to operate a Henderson tailgate salt spreader, Model RTSx6xLHx304 with dual flow control valve.

Salt/Sand Spreader Plumbing

\$ _____

TOTAL PRICE

\$ _____

Please list any differences between your quote and the specifications as listed above on the reverse side of this form.

Attach bids and literature for each bid vendor.

Company _____

Signature _____

Date _____