Jessica Redden, RN
Child Care Nurse Consultant
Scott County Health Department
600 W. 4th Street
Davenport, IA 52801
563-326-8618 Ext. 8821
Jessica.redden@scottcountyiowa.com



Quality Care For Kids

A newsletter for Scott County
Child Care Providers

JANUARY 2015





January is National Radon

Action Month. Radon is a naturally occurring gas that comes from the breakdown of uranium in the soil. Radon comes up through the soil into homes and buildings and is invisible, odorless, and tasteless. The entire state of lowa is considered at high risk for radon gas. Some counties have over

Radon

50% of homes tested with radon levels higher than what the Environmental Protection Agency (EPA) deems as safe. Radon is the second leading cause of lung cancer!

All child care facilities are required to test for radon within I year of initial licensing or renewal and every 2 years after that.

Registered Child Development Homes should test

for radon. Radon testing is inexpensive.

If radon gas levels are above 4.0 picocuries, a mitigation plan is required. For questions contact the lowa Department of Public Health Radon Hotline at 1-800-383-5992. For more information go to www.epa.gov/radon

Call your Child
Care Nurse
Consultant if you
have any
questions about
child health and
safety, or any
special training



Liquid Nicotine Poisoning

Liquid nicotine or e-juice is concentrated nicotine used in electronic cigarettes. Liquid nicotine comes in packaging that is the shape of a small liquid dropper (looks like medication eye drops) and can easily be opened by a child. Liquid nicotine comes in a variety of flavors including cotton candy, gummy bear, fruit juice, root beer, etc. and can be very enticing to children. As little as one teaspoon of liquid nicotine ingested by a child could result in death.

Signs and symptoms of liquid nicotine poisoning include:

Pale and sweaty
Dizziness
Headache
Increase in blood pressure

Increase in heart rate Tremor

Nausea and vomiting Severe toxicity causes confusion, weakness, seizures, decreased blood pressure, decreased pulse and death.

As electronic cigarettes have become more popular, the number of cases of child poisoning from liquid nicotine has increased dramatically. The most common is children five years of age and younger.

Always keep e-cigarette devices and liquid nicotine locked up and out of the reach of children. If you think someone has been exposed to liquid nicotine contact the Iowa Poison Control at 1-800-222-1222.

To obtain a radon test kit contact the lowa Radon Coalition at I-800-383-5992 or contact your local county health department. For information on child care radon testing protocols go to:

www.idph.state.ia.us/ Radon

