PLANNING & DEVELOPMENT

500 West Fourth Street Davenport, Iowa 52801-1106

Office: (563) 326-8643 Fax: (563) 326-8257

Email: planning@scottcountyiowa.com



Timothy Huey Director

SCOTT COUNTY BOARD OF ADJUSTMENT NOVEMBER 19, 2014 4:00 P.M.

First Floor Board Room Scott County Administrative Center 600 West Fourth Street Davenport, IA 52801

AGENDA

- 1. Call to order.
- 2. **Approval of Minutes:** October 22, 2014 meeting
- 3. <u>Public Hearing Variance</u>: Park View Lutheran Church (applicant): Request for a front yard variance for a new addition, Lot 108 Park View 1st Addition, Butler Township, Section 31
- 4. **Other business:** Additional comments or issues to discuss (Board members) / Opportunity for public comments
- 5. Adjournment

Public Hearing Procedures - ON BACK



PLANNING & DEVELOPMENT

500 West Fourth Street Davenport, Iowa 52801-1106

Office: (563) 326-8643 Fax: (563) 326-8257

Email: planning@scottcountyiowa.com



Timothy Huey Director

Public Hearing Procedure:

- a. Chairman reads notice of public hearing.
- b. Director reviews case.
- c. Applicant/Representative speaks on behalf of request.
- d. Public may ask questions or make comments.
- e. Director makes staff recommendation.
- f. Applicant may respond to comments and/or recommendation.
- g. Board members may ask questions.
- h. Chairman closes the public portion of the hearing. (No more comments from public or applicant.)
- i. Discussion period to determine justification for decision.
- j. Board members move to accept, reject, or modify request.
- k. Final vote. Case closed. Three members of the Board constitute a quorum. The concurring vote of three members of the Board shall be necessary to reverse any decision or determination of the zoning administrator or to decide in favor of an application for a variance or conditions for a special use permit. The Board of Adjustment is "quasi-judicial" and not a recommending body. Therefore, any appeals to their decisions should be filed with District Court within 30 days of the meeting.